


Keen-Centerboard

### MORGANI 24



## FOR INSCRIBITION ONLY

### MORGAN 24

### Specifications - Standard Equipment

### GENERAL

Modern masthead sloop rig... Designed by Charles Morgan... Trailerable, shoal-draft, keel-centerboard model with centerboard trunk completely below cabin sole... Available as an inboard or for use with standard outboard engine.

### HULL & DECK

Molded fiberglass hull with recessed cove stripe and molded in boot top... Molded fiberglass deck with sandwich construction for rigidity and insulation... Ariti-skid surfaces molded in deck... Natural finish Burms teak toe rails, companionway boards, slides and exterior hand rails... Flush, recessed thru-hull fittings.

### KEEL-CENTERBOARD

Streamlined, fiberglass centerboard ... Centerboard winch, stainless steel hoisting pennant, operated from eockpit . . . Lead ballast, 1900 lbs.

### HATCHES

Foreward, main companionway and sail locker hatches of molded fiberglass.

### PROPULSION

Outboard model has removable panel in transom for convenient mounting of standard outboard engines... Inboard model\* is offered with Universal Atomic Four or Palmer M60 (depending upon availability) gasoline engine installation complete with 14 gal. monel fuel tank.

### STEERING

Modern streamlined "Spade" rudder ... Stainless steel rudder shaft ... Special cast tillerhead fitting ... laminated tiller, natural finish.

### TANKAGE

15 gallon water tank ... 14 gallon monelfuel tank\* with inboard engine installation.

### CABIN INTERIOR

Attractive, easy to care for interior . . . Bulkheads are paneled in wood-grained Mica, with oiled American walnut trim . . . Smooth, molded headliner throughout . . . Carpeted cabin sole . . . Monomatic head\* or chlorinator\* available.

### GALLEY

A mice-covered counter extending 54" along the starboard side contains an insulated, top-loading ice chest with maple cutting board top...stainless steel sink...15 gallon tank with hand operated pump....Space for two-burner stove....Stowage for food and utensits is provided behind and under the galley.

### ELECTRICAL\*

Heavy gauge, 12 volt, 2-wire system with U.S. Government required navigation lights . . . attractive cabin lights . . . thermally protected switch panel and heavy duty battery in acid proof box.

### MECHANICAL & PIPING

Cockpit located centerboard winch... Recessed flush thru-hull fittings... Bronze valves on all thru-hull fittings below waterline.

### COCKPIT

Spacious IS' long) self-draining cockpit . . . Molded seats, coamings and winch bases . . . Sail locker hatch to port . . . Molded anti-skid cockpit sale . . . Conveniently located controls and instruments on in-board\* engine model.

### DECK FITTINGS AND HARDWARE

All necessary hardware for working sails . . . Two, No. 2 top action sheet winches . . . Jib fairleads . . . Bow chocks . . . Bow and stern mooring cleats.

### SPARS & RIGGING

Streamlined, aluminum mast, stepped on deck, with tabernacle for ease in lowering mast... Aluminum boom with geared roller reefing, and handle... Sliding gooseneck... No. 1 jib halyard winch... Wire halyards with dacron tails... Dacron main and working jib sheets.

### FOR YOUR GUIDANCE:

All orders are subject to prices and specifications in effect at time of acceptance. Please check with your Morgan dealer for verification as the company reserves the right to make changes without notice.

\*These optional items available at extra cost.

### PRINCIPAL DIMENSIONS:

Length Overall Load Waterline Length	24' 11" 21' 6"
Beam	8, 0,,
Draft (Board Up)	2′ 9″ 6′ 6″
Draft (Board Down)	
Displacement	5,000 lbs. 1,900 lbs.
Ballast (Cast lead)	310 sq. ft.
Sail Area (100% of foretriangle)	34' 0"
Mast Height above DWL	5′ 8″
Headroom, Main Cabin	



FOR THE

### THE MORGAN YACHT CORP.

2501 72m STREET HORTH ST. PETERSBURG FLORIDA

MORGAN 24

Designed by: Charles E. Morgan, Jr.

MARKET OF CEM SAFE SECTION DESCRIPTION OF CEMPOR MARKETS

# SPECIFICATIONS

### HULL AND DECK:

Hull and deck of molded fiberglass. Anti-skid surfaces molded in deck. Malded in boot top. Exterior trim and toe rails of natural finish Burma teak. Forward and main companionway hatches of molded fiberglass. Recessed thru-hull fittings. Valves on all thru-hull fittings below waterline.

Spacious (8' long) self-draining cockpit. Molded seats, coamings and winch bases. Sail locker harch to part. Malded anti-skid cockpit sale. Removable panel in transom for mounting outboard engine (outboard model anly). Monel fuel tank is available as optional extra for outboard model. Inboard engine available as optional extra.

Mainsail and working jib are included with the Morgan 24 . made of dacron by Morgan Racing Sails, to quality specifications.

### SPARS AND RIGGING:

Streamilined, aluminum Mast, stepped on deck, with tabernacle for ease in lowering mast. Aluminum Boom with geared roller reefing, and handle . . . Sliding gooseneck , . . No. 1 Jib Halyard Winch . . . Wire halyards with rope tails . . . Dacron main and working jib sheets.

### DECK HARDWARE:

All necessary hardware for working sails. Two, No. 2, tap on sheet winches. Bow and stern mooring cleats. Bow ks.

### K ... L - CENTERBOARD:

Streamlined, fiberglass centerboard . . . centerboard winch, stainless steel haisting pennant, operated from cockpit. Lead bailast, 1900 lbs.

### STEERING:

Modern, streamlined "Spade" rudder . . . Stainless steel rudder shaft . . . special cast tillerhead fitting . . . laminated Tiller, natural finish.

### CABIN ACCOMMODATIONS:

eled in wood-grained Mica, with oiled American Walnut trim . . . Smooth, molded headliner throughout . . . Carpeted cobin sole.

The Morgan 24 sleeps four-five . . , all berths are large (6'-6") with 3" foam mattresses, attractively un. holstered in zippered covers.

The main cabin arrangement features the everpopular dinette to part . . . converts to berth. To starboard is the galley, with a quarter berth aft. Forward of the main bulkhead is a marine head to part, hanging locker to starboard, with double berth forward. Storage oreas under all berths for racing and cruising gear.

### GALLEY:


A Mica-covered counter extending 54" along the starboard side contains an insulated, top-loading Ice Chest - with maple cutting board top; stainless steel sink . . . 16 gallon water tank with hand operated pump; and compartment for two-burner stove. Stowage for food and utensils is provided behind and under the galley.

### For Your Guidance:

This brochure supercedes all other offerings and prices. Specificostons are subject to though without notice, with all orders accepted tubject to prices in effect at time of acceptance. Check with your MORGAN Dealer for verification of specifications and prices.

### Note:

Shown in the photographs and drawings are some features and equipment which are available for the Morgan 24 as aptional equipment - available or extra cost, and well worth it in performance or convenience.



Shown is the specials, beautifully trimmed, easy-clean interior

M.24 12/7

